

FINESIA®

ドリル使用回数 チェックシート

- ●ご使用ごとに、各ドリルの使用回数のチェックにご活用ください。
- ●刃こぼれをおこしたり切削性が低下したりした時点で新品に交換してください。発熱等による周囲組織の損傷の恐れがあります。



SGステント高さ 9mm(SH9)

	٤	Gブレ	バイロッ	トドリル	/				SG/A	イロット	ドリル			SGステップドリル			
30	32	34	37	42	47	52	30	32	34	37	42	47	52	42	47	5	2
30	32	34	37	42	47	32	30	32	34	37	42	4,	32	42	47	(#1)	(#2)
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15

15 回までの 使用を推奨するもの で は あ りません

SGステント高さ 11mm(SH11)

		SGバ	イロット	ドリル	SGパイロットドリル											
30	32	34	37	42	47	52	42	47	5	2						
30	32	34	37	42	47	52	42	47	(#1)	(#2)						
1	1	1	1	1	1	1	1	1	1	1						
2	2	2	2	2	2	2	2	2	2	2						
3	3	3	3	3	3	3	3	3	3	3						
4	4	4	4	4	4	4	4	4	4	4						
5	5	5	5	5	5	5	5	5	5	5						
6	6	6	6	6	6	6	6	6	6	6						
7	7	7	7	7	7	7	7	7	7	7						
8	8	8	8	8	8	8	8	8	8	8						
9	9	9	9	9	9	9	9	9	9	9						
10	10	10	10	10	10	10	10	10	10	10						
11	11	11	11	11	11	11	11	11	11	11						
12	12	12	12	12	12	12	12	12	12	12						
13	13	13	13	13	13	13	13	13	13	13						
14	14	14	14	14	14	14	14	14	14	14						
15	15	15	15	15	15	15	15	15	15	15						

SGステント高さ 13mm(SH13)

		SGパ	イロット	ドリル			S	Gステッ	プドリル	レ
30	32	34	37	42	47	52	42	47	5	2
30	32	34	31	42	47	32	42	47	(#1)	(#2)
1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	00	8	8	8
9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15

15 回までの 使用を推奨するもの では ありません

15 回までの 使用を推奨するもの では ありません

	SGファイナルドリル (TP)																			
	30			32			34			37			42			47			52	
S	М	L	S	М	L	S	М	L	S	М	L	S	М	L	S	М	L	S	М	Г
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15

15 回までの 使用を推奨するもの で は あ りません



SGステント高さ 9mm(SH9)

	<u>アント</u> ほ りしパイ		リル SGパイロットドリル SGステップドリル								レ
37	42	47	52	37	42	47	52	42	47	5	2
37	42	47	5/2	31	42	47	5/2	42	47	(#1)	(#2)
1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15

15 回までの 使用を推奨するもの で は あ りません

SGステント高さ 11mm(SH11)

SC	3パイロ	ットドリ	ル	S	Gステッ	プドリル	V
37	40	47	ΕO	40	47	5	2
37	42	47	52	42	47	(#1)	(#2)
1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15

SGステント高さ 13mm(SH13)

SC	シバイロ	ットドリ	ル	S	Gステッ	プドリル	レ
37	42	47	52	42	47	5	2
5	42	47	52	42	41	(#1)	(#2)
1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15

15 回までの 使用を推奨するもの で は あ りません

15回までの使用を推奨するものではありません

	SGファイナルドリル (ST)														
	3	7			4	2			4	-7		52			
XS	S	М	L	XS	S	М	L	XS	S	М	L	XS	S	М	L
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15

15 回までの 使用を推奨するもの で は あ りません

京セラ株式会社 メディカル事業部 本社 京都市伏見区竹田鳥羽殿町6番地 〒612-8501

https://www.kyocera.co.jp/prdct/medical/index.html Tel:075-778-1982 Fax:075-778-1983

(製造販売届出番号) FINESIAインプラント用手術器具 26B1X10012101122

